

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **HCG-beta(HCGb/54+ HCGb/459), Biotin conjugate, 0.1mg/mL, Clone: [HCGb/54 + HCGb/459], Mouse, Monoclonal BOT-BNCB1224-500**

Artikelname	HCG-beta(HCGb/54+ HCGb/459), Biotin conjugate, 0.1mg/mL, Clone: [HCGb/54 + HCGb/459], Mouse, Monoclonal
Artikelnummer	BOT-BNCB1224-500
Hersteller Artikelnummer	BNCB1224-500
Alternativnummer	BOT-BNCB1224-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant hCG beta protein (HCGb/54 and HCGb/459)
Konjugation	Biotin
Produktbeschreibung	This MAb reacts with a protein of 22 kDa, identified as beta sub-unit of HCG. It does not cross react with the alpha sub-unit. HCG is a glycoprotein, which is secreted in large quantities by normal trophoblasts. It is present only in trace amounts in...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[HCGb/54 + HCGb/459]

Molekulargewicht	22 kDa
UniProt	<a href="#">P01233</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user