

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Clathrin, Light Chain (CLC/1421), Biotin conjugate, 0.1mg/mL, Clone: [CLC/1421], Mouse, Monoclonal BOT-BNCB1421-500**

Artikelname	Clathrin, Light Chain (CLC/1421), Biotin conjugate, 0.1mg/mL, Clone: [CLC/1421], Mouse, Monoclonal
Artikelnummer	BOT-BNCB1421-500
Hersteller Artikelnummer	BNCB1421-500
Alternativnummer	BOT-BNCB1421-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Purified recombinant N-terminal fragment of human Clathrin Light Chain
Konjugation	Biotin
Produktbeschreibung	This antibody recognizes proteins of 31-44 kDa, which are identified as Clathrin Light Chains (both A & B). Clathrin is composed of three heavy chains and three light chains, which associate non-covalently to form a triskelion structure. Clathrin lig...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[CLC/1421]
Molekulargewicht	31-44 kDa
UniProt	<a href="#">P09497</a> , <a href="#">P09496</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology (formalin): 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user