

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Podoplanin (PDPN) (Lymphatic Endothelial & Mesothelial Marker) (PDPN/1433), Biotin conjugate, 0.1mg/mL, Clone: [PDPN/1433], Mouse, Monoclonal BOT-BNCB1433-100

Artikelname	Podoplanin (PDPN) (Lymphatic Endothelial & Mesothelial Marker) (PDPN/1433), Biotin conjugate, 0.1mg/mL, Clone: [PDPN/1433], Mouse, Monoclonal
Artikelnummer	BOT-BNCB1433-100
Hersteller Artikelnummer	BNCB1433-100
Alternativnummer	BOT-BNCB1433-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human Podoplanin (PDPN) protein fragment (aa24-126) (exact sequence is proprietary)
Konjugation	Biotin
Produktbeschreibung	This antibody recognizes a muco-protein of 38-43 kDa, which is identified Podoplanin (PDPN). It localizes in stromal cells of peripheral lymphoid tissue and thymic epithelial cells. As a regulator of the lymphatic endothelium, podoplanin probably pla...
Klonalität	Monoclonal

Konzentration	0.1 mg/mL
Klon-Bezeichnung	[PDPN/1433]
Molekulargewicht	38-43 kDa
UniProt	Q86YL7
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Immunofluorescence 0.5-1 ug/mL Western blotting 0.5-1 ug/mL Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user