

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Desmoglein-1 (DSG1) (DSG1/1733), Biotin conjugate, 0.1mg/mL, Clone: [DSG1/1733], Mouse, Monoclonal BOT-BNCB1733-100

Artikelname	Desmoglein-1 (DSG1) (DSG1/1733), Biotin conjugate, 0.1mg/mL, Clone: [DSG1/1733], Mouse, Monoclonal
Artikelnummer	BOT-BNCB1733-100
Hersteller Artikelnummer	BNCB1733-100
Alternativnummer	BOT-BNCB1733-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human desmoglein-1 protein fragment corresponding to intracellular domain (exact sequence is proprietary)
Konjugation	Biotin
Produktbeschreibung	This antibody recognizes a protein of ~150 kDa, identified as Desmoglein-1 (DSG1). Desmoglein-1 is a member of the desmosomal cadherin family. Desmosomes are intercellular adhering junctions that represent cell surface attachment sites for intermedia...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[DSG1/1733]
Molekulargewicht	150 kDa (precursor), 160 kDa (mature)
UniProt	Q02413
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	<p>Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology (formalin): 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris buffer with 1 mM EDTA pH 8.0 for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user</p>