

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

p63 (Squamous, Basal and Myoepithelial Cell Marker) (TP63/1786), Biotin conjugate, 0.1mg/mL, Clone: [TP63/1786], Mouse, Monoclonal BOT-BNCB1786-100

| | |
|--------------------------|---|
| Artikelname | p63 (Squamous, Basal and Myoepithelial Cell Marker) (TP63/1786), Biotin conjugate, 0.1mg/mL, Clone: [TP63/1786], Mouse, Monoclonal |
| Artikelnummer | BOT-BNCB1786-100 |
| Hersteller Artikelnummer | BNCB1786-100 |
| Alternativnummer | BOT-BNCB1786-100-100UL |
| Hersteller | Biotium |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | WB |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant human p63 protein fragment (aa3-106) (exact sequence is proprietary) |
| Konjugation | Biotin |
| Produktbeschreibung | p63 is a homolog of the tumor suppressor p53. It is identified in basal cells in the epithelial layers of a variety of tissues, including epidermis, cervix, urothelium, breast and prostate. p63 was detected in nuclei of the basal epithelium in normal... |
| Klonalität | Monoclonal |
| Konzentration | 0.1 mg/mL |

| | |
|------------------------|---|
| Klon-Bezeichnung | [TP63/1786] |
| Molekulargewicht | 63 kDa |
| UniProt | Q9H3D4 |
| Puffer | PBS, 0.1% BSA, 0.05% azide |
| Quelle | Animal |
| Anwendungsbeschreibung | Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody ELISA: For coating order antibody without BSA Western blotting 1-2 ug/mL Optimal dilution for a specific application should be determined by user |