

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **TLE1 (Synovial Sarcoma Marker) (TLE1/2062), Biotin conjugate, 0.1mg/mL, Clone: [TLE1/2062], Mouse, Monoclonal BOT-BNCB2062-500**

Artikelname	TLE1 (Synovial Sarcoma Marker) (TLE1/2062), Biotin conjugate, 0.1mg/mL, Clone: [TLE1/2062], Mouse, Monoclonal
Artikelnummer	BOT-BNCB2062-500
Hersteller Artikelnummer	BNCB2062-500
Alternativnummer	BOT-BNCB2062-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC, WB
Spezies Reaktivität	Human
Immunogen	Recombinant human TLE1 fragment (aa 175-338) (exact sequence is proprietary)
Konjugation	Biotin
Produktbeschreibung	Key players in the Notch pathway are the TLE genes, which are human homologs of the Drosophila groucho gene. Groucho is a transcriptional repressor that plays a key role in neurogenesis, segmentation and sex determination. Transducin-like enhancer pr...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[TLE1/2062]
Molekulargewicht	83 kDa
UniProt	<a href="#">Q04724</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user