

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

FOXA1 / HNF3A (FOXA1/2230R), Biotin conjugate, 0.1mg/mL, Clone: [FOXA1/2230R], Rabbit, Monoclonal BOT-BNCB2230-100

| | |
|--------------------------|---|
| Artikelname | FOXA1 / HNF3A (FOXA1/2230R), Biotin conjugate, 0.1mg/mL, Clone: [FOXA1/2230R], Rabbit, Monoclonal |
| Artikelnummer | BOT-BNCB2230-100 |
| Hersteller Artikelnummer | BNCB2230-100 |
| Alternativnummer | BOT-BNCB2230-100-100UL |
| Hersteller | Biotium |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Applikation | FC, IF, IHC, WB |
| Spezies Reaktivität | Human, Rat |
| Immunogen | Recombinant human FOXA1 protein fragment (around aa372-472) (exact sequence is proprietary) |
| Konjugation | Biotin |
| Produktbeschreibung | The transcription factor Forkhead-box A1 (FOXA1), also known as hepatocyte nuclear factor 3-alpha, is a member of the FOX class of transcription factors. HNF-1 (alpha and beta), HNF-3 (alpha, beta and gamma), HNF-4 (alpha and gamma), and HNF-6 compos... |
| Klonalität | Monoclonal |
| Konzentration | 0.1 mg/mL |

| | |
|------------------------|--|
| Klon-Bezeichnung | [FOXA1/2230R] |
| Molekulargewicht | 49 kDa |
| UniProt | P55317 |
| Puffer | PBS, 0.1% BSA, 0.05% azide |
| Quelle | Animal |
| Anwendungsbeschreibung | Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 0.5-1.0 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM Tris with 1 mM EDTA pH 9.0 for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user |