

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Insulin Receptor Alpha (INSR/2277R), Biotin conjugate, 0.1mg/mL, Clone: [INSR/2277R], Rabbit, Monoclonal BOT-BNCB2277-100**

Artikelname	Insulin Receptor Alpha (INSR/2277R), Biotin conjugate, 0.1mg/mL, Clone: [INSR/2277R], Rabbit, Monoclonal
Artikelnummer	BOT-BNCB2277-100
Hersteller Artikelnummer	BNCB2277-100
Alternativnummer	BOT-BNCB2277-100-100UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant fragment of extracellular domain of human Insulin Receptor alpha (exact sequence is proprietary)
Konjugation	Biotin
Produktbeschreibung	The insulin receptor (INSR) is a heterodimeric protein complex that has an intracellular beta subunit and an extracellular alpha subunit, which is disulfide-linked to a transmembrane segment. The insulin ligand binds to the INSR and initiates molecu...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[INSR/2277R]
Molekulargewicht	135 kDa
UniProt	<a href="#">P06213</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user