

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **ERCC1 / RAD10 (Tumor Progression Marker)(ERCC1/2318), Biotin conjugate, 0.1mg/mL, Clone: [ERCC1/2318], Mouse, Monoclonal BOT-BNCB2318-500**

Artikelname	ERCC1 / RAD10 (Tumor Progression Marker)(ERCC1/2318), Biotin conjugate, 0.1mg/mL, Clone: [ERCC1/2318], Mouse, Monoclonal
Artikelnummer	BOT-BNCB2318-500
Hersteller Artikelnummer	BNCB2318-500
Alternativnummer	BOT-BNCB2318-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Spezies Reaktivität	Human
Immunogen	Recombinant fragment (around aa 191-281) of human ERCC1 protein (exact sequence is proprietary)
Konjugation	Biotin
Produktbeschreibung	Recognizes a protein of 110 kDa, identified as Excision Repair Cross Complementing 1 (ERCC1). It is a mammalian nucleotide excision repair (NER) enzyme involved in repair of damaged DNA. ERCC1 is a homologous to RAD10 in <i>Saccharomyces cerevisiae</i> , whi...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[ERCC1/2318]

Molekulargewicht	~110 kDa
UniProt	<a href="#">P07992</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry