

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **SDHB (Succinate Dehydrogenase B) (Pheochromocytoma Marker)(SDHB/2382), Biotin conjugate, 0.1mg/mL, Clone: [SDHB/2382], Mouse, Monoclonal BOT-BNCB2382-100**

Artikelname	SDHB (Succinate Dehydrogenase B) (Pheochromocytoma Marker)(SDHB/2382), Biotin conjugate, 0.1mg/mL, Clone: [SDHB/2382], Mouse, Monoclonal
Artikelnummer	BOT-BNCB2382-100
Hersteller Artikelnummer	BNCB2382-100
Alternativnummer	BOT-BNCB2382-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Spezies Reaktivität	Human
Immunogen	Recombinant fragment (around aa 165-273) of human SDHB protein (exact sequence is proprietary)
Konjugation	Biotin
Produktbeschreibung	Succinate dehydrogenase (SDH) is Complex II in the mitochondria, vital for mitochondrial electron transport, as well as Krebs cycle function. Four subunits comprise the SDH protein complex: a flavochrome subunit (SDHA), an iron-sulfur protein (SDHB) ...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[SDHB/2382]
Molekulargewicht	32 kDa
UniProt	<a href="#">P21912</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry