

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Neurofilament (NF-L)(NR-4), 0.2mg/mL, IgG1, Clone: [NR-4], Mouse, Monoclonal BOT-BNUB0303-100

Artikelname	Neurofilament (NF-L)(NR-4), 0.2mg/mL, IgG1, Clone: [NR-4], Mouse, Monoclonal
Artikelnummer	BOT-BNUB0303-100
Hersteller Artikelnummer	BNUB0303-100
Alternativnummer	BOT-BNUB0303-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC
Spezies Reaktivität	Bovine, Gallus, Human, Porcine, Rat
Immunogen	Crude neurofilament preparation from porcine spinal cord
Produktbeschreibung	This MAb reacts with a 68 kDa protein, identified as light sub-unit of neurofilaments (NF-L). Neurofilaments make up the main structural elements of axons and dendrites and are found in neurons, peripheral nerves, and sympathetic ganglion cells. Neur...
Klonalität	Monoclonal
Konzentration	0.2 mg/mL
Klon-Bezeichnung	[NR-4]
Molekulargewicht	68 kDa

Isotyp	IgG1
UniProt	<a href="#">P07196</a>
Puffer	PBS, 0.05% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology formalin-fixed 0.25-0.5 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user