**BIOZOL**
Diagnostica Vertrieb GmbH, Oehleckerring 11-13
22419 Hamburg, Germany
**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99
**E-Mail:** info@biozol.de

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

# Product Datasheet

## AFP (Alpha Fetoprotein)(C3), 0.2mg/mL, Mouse
## BOT-BNUB0354-100

| | |
|---|---|
| Artikelname | AFP (Alpha Fetoprotein)(C3), 0.2mg/mL, Mouse |
| Artikelnummer | BOT-BNUB0354-100 |
| Hersteller Artikelnummer | BNUB0354-100 |
| Alternativnummer | BOT-BNUB0354-100-100UL |
| Hersteller | Biotium |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Canine, Human, Monkey, Porcine |
| Immunogen | Alpha fetoprotein (AFP) purified from serum of a hepatoma patient |
| Produktbeschreibung | Alpha-fetoprotein (AFP) is an oncofetal glycoprotein with a single chain of 70 kDa. This MAb is highly specific to AFP and shows no cross-reaction with other oncofetal antigens or serum albumin. AFP is normally synthesized in the liver, intestinal tr... |
| Konzentration | 0.2 mg/mL |
| Molekulargewicht | 70 kDa |
| UniProt | P02771 |
| Puffer | PBS, 0.05% BSA, 0.05% azide |
| Quelle | Animal |

| | |
|---|---|
| Anwendungsbeschreibung | Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody\|Immunofluorescence: 0.5-1 ug/mL\|Immunohistology formalin-fixed 1-2 ug/mL\|Does not react with cow, dog, mouse, or rat\|Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes\|Flow Cytometry 0.5-1 ug/million cells/0.1 mL\|Optimal dilution for a specific application should be determined by user |