

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

c-Myc(9E10.3), 0.2mg/mL, Clone: [9E10.3], Mouse, Monoclonal BOT-BNUB0596-500

Artikelname	c-Myc(9E10.3), 0.2mg/mL, Clone: [9E10.3], Mouse, Monoclonal
Artikelnummer	BOT-BNUB0596-500
Hersteller Artikelnummer	BNUB0596-500
Alternativnummer	BOT-BNUB0596-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	A synthetic peptide, corresponding to aa 408-439 (AEEQKLISEEDLLRKRRQLKHKLEQLRNSCA) from C-terminus of human c-myc, coupled to KLH.
Produktbeschreibung	The epitope of this antibody spans the Myc tag epitope, aa 410-419 (EQKLISEEDL), which is a specific portion of an alpha helical region of human c-myc protein. Because the epitope is located at the dimerization site of the protein, the antibody is no...
Klonalität	Monoclonal
Konzentration	0.2 mg/mL
Klon-Bezeichnung	[9E10.3]
Molekulargewicht	62-64 kDa

UniProt	P01106
Puffer	PBS, 0.05% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Immunohistology formalin-fixed 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Immunofluorescence 1-2 ug/mL Does not react with mouse, rat, or chicken, others not tested Optimal dilution for a specific application should be determined by user