

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD56 / NCAM(123A8, same as 56C04), 0.2mg/mL, Clone: [123A8 same as 56C04], Mouse, Monoclonal BOT-BNUB0692-100

Artikelname	CD56 / NCAM(123A8, same as 56C04), 0.2mg/mL, Clone: [123A8 same as 56C04], Mouse, Monoclonal
Artikelnummer	BOT-BNUB0692-100
Hersteller Artikelnummer	BNUB0692-100
Alternativnummer	BOT-BNUB0692-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Membrane preparation of a small cell lung carcinoma
Produktbeschreibung	This MAb reacts with an extracellular domain (close to transmembrane) of CD56/NCAM. Three isoforms of neural cell adhesion molecule (NCAM) are produced by differential splicing of the RNA transcript from a single gene. The 135 kDa isoform is the basi...
Klonalität	Monoclonal
Konzentration	0.2 mg/mL
Klon-Bezeichnung	[123A8 same as 56C04]

Molekulargewicht	180, 145 and 125 kDa
Puffer	PBS, 0.05% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Immunohistology formalin-fixed 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Immunofluorescence 1-2 ug/mL Optimal dilution for a specific application should be determined by user