

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **MyoD1(5.8A + MYD712), 0.2mg/mL, Clone: [5.8A MYD712], Mouse, Monoclonal BOT-BNUB0713-100**

Artikelname	MyoD1(5.8A + MYD712), 0.2mg/mL, Clone: [5.8A MYD712], Mouse, Monoclonal
Artikelnummer	BOT-BNUB0713-100
Hersteller Artikelnummer	BNUB0713-100
Alternativnummer	BOT-BNUB0713-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Spezies Reaktivität	Gallus, Human, Mouse, Rat
Immunogen	Recombinant mouse MyoD1 protein (5.8A), Recombinant human MyoD1 protein (MYD712)
Produktbeschreibung	Recognizes a phosphor-protein of 45 kDa, identified as MyoD1. This MAb does not cross react with myogenin, Myf5, or Myf6. Antibody to MyoD1 labels the nuclei of myoblasts in developing muscle tissues. MyoD1 is not detected in normal adult tissue, but...
Klonalität	Monoclonal
Konzentration	0.2 mg/mL
Klon-Bezeichnung	[5.8A MYD712]
Molekulargewicht	45 kDa

UniProt	<a href="#">P15172</a>
Puffer	PBS, 0.05% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry Only nuclear staining should be considered as evidence of skeletal muscle differentiation