

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Cytokeratin 19(KRT19/799 + KRT19/800), 0.2mg/mL, Clone: [KRT19/799 KRT19/800], Mouse, Monoclonal BOT-BNUB1150-500

Artikelname	Cytokeratin 19(KRT19/799 + KRT19/800), 0.2mg/mL, Clone: [KRT19/799 KRT19/800], Mouse, Monoclonal
Artikelnummer	BOT-BNUB1150-500
Hersteller Artikelnummer	BNUB1150-500
Alternativnummer	BOT-BNUB1150-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human, Mouse
Immunogen	Recombinant full-length human KRT19 protein
Produktbeschreibung	Recognizes a protein of 40 kDa, identified as cytokeratin-19 (CK19), which is expressed in sweat gland, mammary gland ductal and secretory cells, bile ducts, gastrointestinal tract, bladder urothelium, oral epithelia, esophagus, and ectocervical epit...
Klonalität	Monoclonal
Konzentration	0.2 mg/mL
Klon-Bezeichnung	[KRT19/799 KRT19/800]
Molekulargewicht	40 kDa

UniProt	P08727
Puffer	PBS, 0.05% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user