

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CA19-9/Sialyl Lewisa (GI Tumor Marker) (CA19.9/1390R), 0.2mg/mL, Clone: [CA19.9/1390R], Rabbit, Monoclonal BOT-BNUB1390-100

Artikelname	CA19-9/Sialyl Lewisa (GI Tumor Marker) (CA19.9/1390R), 0.2mg/mL, Clone: [CA19.9/1390R], Rabbit, Monoclonal
Artikelnummer	BOT-BNUB1390-100
Hersteller Artikelnummer	BNUB1390-100
Alternativnummer	BOT-BNUB1390-100-100UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Purified human CA19-9 protein
Produktbeschreibung	CA19-9, a carbohydrate epitope expressed on a high MW (>400 kDa) mucin glycoprotein, is a sialyl Lewisa structure which is synthesized from type 1 blood group precursor chains and is present in individuals expressing the Lewisa and/or Lewisb blood gr...
Klonalität	Monoclonal
Konzentration	0.2 mg/mL
Klon-Bezeichnung	[CA19.9/1390R]
Molekulargewicht	>400 kDa

UniProt	Not Known
Puffer	PBS, 0.05% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence 0.5-1 ug/mL Immunohistology (formalin) 5-10 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user