

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Melanoma Associated Antigen (MAA)(MAA/1414), 0.2mg/mL, Clone: [MAA/1414], Mouse, Monoclonal BOT-BNUB1414-100**

|                          |   |
|--------------------------|---|
| Artikelname              | Melanoma Associated Antigen (MAA)(MAA/1414), 0.2mg/mL, Clone: [MAA/1414], Mouse, Monoclonal   |
| Artikelnummer            | BOT-BNUB1414-100  |
| Hersteller Artikelnummer | BNUB1414-100  |
| Alternativnummer         | BOT-BNUB1414-100-100UL  |
| Hersteller               | Biotium   |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Spezies Reaktivität      | Human   |
| Immunogen                | proteins extracted from a melanoma  |
| Produktbeschreibung      | The antibody reacts strongly with melanoma cells derived from cell lines and short-term cultures and reacts preferentially with melanoma cells in frozen tissue sections. The antibody can also be used to detect melanoma lesions in vivo. Primary antibo... |
| Klonalität               | Monoclonal  |
| Konzentration            | 0.2 mg/mL   |
| Klon-Bezeichnung         | [MAA/1414]  |
| Molekulargewicht         | Not Known   |
| UniProt                  | Not Known   |

|                        |  |
|------------------------|--|
| Puffer                 | PBS, 0.05% BSA, 0.05% azide  |
| Quelle                 | Animal   |
| Anwendungsbeschreibung | For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry |