

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Factor XIIIa (Coagulation Factor XIIIa Chain) (F13A1/1448), 0.2mg/mL, Clone: [F13A1/1448], Mouse, Monoclonal BOT-BNUB1448-100

Artikelname	Factor XIIIa (Coagulation Factor XIIIa Chain) (F13A1/1448), 0.2mg/mL, Clone: [F13A1/1448], Mouse, Monoclonal
Artikelnummer	BOT-BNUB1448-100
Hersteller Artikelnummer	BNUB1448-100
Alternativnummer	BOT-BNUB1448-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC, WB
Spezies Reaktivität	Human
Immunogen	Recombinant fragment of human Factor XIIIa protein (aa46-181) (exact sequence is proprietary)
Produktbeschreibung	This antibody recognizes a protein of 83 kDa, which is identified as Factor XIIIa. It has been identified in platelets, megakaryocytes, and fibroblast-like mesenchymal or histiocytic cells in the placenta, uterus, and prostate, monocytes and macrophage...
Klonalität	Monoclonal
Konzentration	0.2 mg/mL
Klon-Bezeichnung	[F13A1/1448]

Molekulargewicht	83 kDa
UniProt	P00488
Puffer	PBS, 0.05% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody ELISA: 2-4 ug/mL for coating order Ab without BSA Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin) 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user