

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

TIMP2 (Tissue Inhibitor of Metalloproteinase 2) (3A4), 0.2mg/mL, Clone: [3A4], Mouse, Monoclonal BOT-BNUB1691-500

Artikelname	TIMP2 (Tissue Inhibitor of Metalloproteinase 2) (3A4), 0.2mg/mL, Clone: [3A4], Mouse, Monoclonal
Artikelnummer	BOT-BNUB1691-500
Hersteller Artikelnummer	BNUB1691-500
Alternativnummer	BOT-BNUB1691-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Bovine, Guinea pig, Human, Mouse, Rabbit, Rat, Zebrafish
Immunogen	A synthetic peptide from the N-terminus of human TIMP2 protein (aa56-66) (DSGNDIYGNPI)
Produktbeschreibung	This antibody recognizes a protein of 21 kDa, identified as tissue inhibitor of metalloproteinases-2 (TIMP-2). It is closely related to TIMP-1 and shows the highest binding affinity to both the latent (pro) and active forms of 72 kDa Type IV collagen...
Klonalität	Monoclonal
Konzentration	0.2 mg/mL
Klon-Bezeichnung	[3A4]

Molekulargewicht	21 kDa
UniProt	P16035
Puffer	PBS, 0.05% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin) 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user