

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Renalase (Renal Cell Marker) (RNLS/1940), 0.2mg/mL, Clone: [RNLS/1940], Mouse, Monoclonal BOT-BNUB1940-100**

Artikelname	Renalase (Renal Cell Marker) (RNLS/1940), 0.2mg/mL, Clone: [RNLS/1940], Mouse, Monoclonal
Artikelnummer	BOT-BNUB1940-100
Hersteller Artikelnummer	BNUB1940-100
Alternativnummer	BOT-BNUB1940-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Spezies Reaktivität	Human
Immunogen	Recombinant human RNLS protein fragment (around aa 34-235) (exact sequence is proprietary)
Produktbeschreibung	Renalase is a 342 amino acid FAD-dependent amine oxidase that is highly expressed in kidney and is expressed at a lower level in heart, skeletal muscle and small intestine. Renalase is secreted in the blood by the kidney and it is thought to regulate...
Klonalität	Monoclonal
Konzentration	0.2 mg/mL
Klon-Bezeichnung	[RNLS/1940]
Molekulargewicht	38 kDa

UniProt	<a href="#">Q5VYX0</a>
Puffer	PBS, 0.05% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry