

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Cig2(3A11/5), 0.2mg/mL, Clone: [3A11/5], Mouse, Monoclonal BOT-BNUB2827-500

Artikelname	Cig2(3A11/5), 0.2mg/mL, Clone: [3A11/5], Mouse, Monoclonal
Artikelnummer	BOT-BNUB2827-500
Hersteller Artikelnummer	BNUB2827-500
Alternativnummer	BOT-BNUB2827-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Spezies Reaktivität	Yeast
Immunogen	Bacterial <i>S. pombe</i> Cig2 Purified protein.
Produktbeschreibung	Cig2 is a cyclin that functions as the catalytic subunit of cyclin-dependent kinases (Cdks) in the fission yeast <i>Schizosaccharomyces pombe</i> . It is a B-type, S phase cyclin that is required for both the G1/S and G2/M cell cycle transitions and is expre...
Klonalität	Monoclonal
Konzentration	0.2 mg/mL
Klon-Bezeichnung	[3A11/5]
Molekulargewicht	~50 kDa
UniProt	Not Known
Puffer	PBS, 0.05% BSA, 0.05% azide

Quelle	Animal
Anwendungsbeschreibung	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry