

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CD45RB (B-Cell Marker) (PTPRC/2877R), 0.2mg/mL, Clone: [PTPRC/2877R], Rabbit, Monoclonal BOT-BNUB2877-100**

Artikelname	CD45RB (B-Cell Marker) (PTPRC/2877R), 0.2mg/mL, Clone: [PTPRC/2877R], Rabbit, Monoclonal
Artikelnummer	BOT-BNUB2877-100
Hersteller Artikelnummer	BNUB2877-100
Alternativnummer	BOT-BNUB2877-100-100UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Applikation	FC, IF, IHC, WB
Spezies Reaktivität	Human
Immunogen	Recombinant full-length human PTPRC protein
Produktbeschreibung	CD45R, also designated CD45 and PTPRC, has been identified as a transmembrane glycoprotein, broadly expressed among hematopoietic cells. Multiple isoforms of CD45R are distributed throughout the immune system according to cell type. These isoforms ar...
Klonalität	Monoclonal
Konzentration	0.2 mg/mL
Klon-Bezeichnung	[PTPRC/2877R]

Molekulargewicht	180-220 kDa
UniProt	<a href="#">P08575</a>
Puffer	PBS, 0.05% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Does not react with rat or rhesus monkey Immunohistology (formalin): 0.5-1.0 ug/mL for 30 minutes at RT Western Blot 0.5-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user