

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD79b (B-Cell Marker)(IGB/2940R), 0.2mg/mL, Clone: [IGB/2940R], Rabbit, Monoclonal BOT-BNUB2940-100

Artikelname	CD79b (B-Cell Marker)(IGB/2940R), 0.2mg/mL, Clone: [IGB/2940R], Rabbit, Monoclonal
Artikelnummer	BOT-BNUB2940-100
Hersteller Artikelnummer	BNUB2940-100
Alternativnummer	BOT-BNUB2940-100-100UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Spezies Reaktivität	Human
Immunogen	Recombinant human CD79b protein fragment (around aa29-159) (exact sequence is proprietary)
Produktbeschreibung	CD79 (also designated Ig chains, designated CD79B or B29. The B cell antigen receptor complex (BCR) is formed by the association of CD79 with a membrane immunoglobulin, such as IgM or IgD. The membrane immunoglobulins IgM and IgD achieve surface expr...
Klonalität	Monoclonal
Konzentration	0.2 mg/mL
Klon-Bezeichnung	[IGB/2940R]
Molekulargewicht	39 kDa

UniProt	P40259
Puffer	PBS, 0.05% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry