

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD4 (T-Helper/Inducer Cell Marker)(CD4/3027), 0.2mg/mL, Clone: [CD4/3027], Mouse, Monoclonal BOT-BNUB3027-100

| | |
|--------------------------|---|
| Artikelname | CD4 (T-Helper/Inducer Cell Marker)(CD4/3027), 0.2mg/mL, Clone: [CD4/3027], Mouse, Monoclonal |
| Artikelnummer | BOT-BNUB3027-100 |
| Hersteller Artikelnummer | BNUB3027-100 |
| Alternativnummer | BOT-BNUB3027-100-100UL |
| Hersteller | Biotium |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant human CD4 protein extracellular domain fragment (around aa 245-392) (exact sequence is proprietary) |
| Produktbeschreibung | The immunogen for this Mab is derived from the extracellular domain of CD4, a membrane glycoprotein of T lymphocytes that interacts with major histocompatibility complex class II antigens and is also a receptor for the human immunodeficiency virus. T... |
| Klonalität | Monoclonal |
| Konzentration | 0.2 mg/mL |
| Klon-Bezeichnung | [CD4/3027] |
| Molekulargewicht | 55 kDa |

| | |
|------------------------|--|
| UniProt | P01730 |
| Puffer | PBS, 0.05% BSA, 0.05% azide |
| Quelle | Animal |
| Anwendungsbeschreibung | For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry |