

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Lewis A(7LE), 1mg/mL, Clone: [7LE], Mouse, Monoclonal BOT-BNUM0311-50

Artikelname	Lewis A(7LE), 1mg/mL, Clone: [7LE], Mouse, Monoclonal
Artikelnummer	BOT-BNUM0311-50
Hersteller Artikelnummer	BNUM0311-50
Alternativnummer	BOT-BNUM0311-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	ELISA, FC, IHC
Spezies Reaktivität	Human, Mouse
Immunogen	Mucins isolated from ovarian cyst fluid
Produktbeschreibung	Recognizes a carbohydrate determinant of Gal 1-3(Fuc 1-4) GlcNAc which is blood group antigen Lewis A. It is present primarily on epithelial cells such as colon and kidneys. In the tumors and dedifferentiated tissues, decrease of Lewis A antigen was ...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[7LE]
Molekulargewicht	Multiple
UniProt	Not Applicable

Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin) Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user