

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Heparan Sulphate Proteoglycan(A7L6), 1mg/mL, Clone: [A7L6], Rat, Monoclonal BOT-BNUM0315-50**

Artikelname	Heparan Sulphate Proteoglycan(A7L6), 1mg/mL, Clone: [A7L6], Rat, Monoclonal
Artikelnummer	BOT-BNUM0315-50
Hersteller Artikelnummer	BNUM0315-50
Alternativnummer	BOT-BNUM0315-50-50UL
Hersteller	Biotium
Wirt	Rat
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Bovine, Fish, Human, Monkey, Mouse, Porcine
Immunogen	Murine EHS laminin preparation
Produktbeschreibung	This MAb specifically precipitates heterogeneous material of high MW, identified as perlecan, a major heparan-sulfate proteoglycan (HSPG) within all basement membranes and cell surfaces. It does not cross-react with laminin, fibronectin, or dermatan...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[A7L6]
Molekulargewicht	>400 kDa

UniProt	<a href="#">P98160</a>
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 1-2 ug/mL Staining of formalin/paraffin tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user