

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Histiocytoma Marker(D11), 1mg/mL, Clone: [D11], Mouse, Monoclonal BOT-BNUM0348-50

| | |
|--------------------------|---|
| Artikelname | Histiocytoma Marker(D11), 1mg/mL, Clone: [D11], Mouse, Monoclonal |
| Artikelnummer | BOT-BNUM0348-50 |
| Hersteller Artikelnummer | BNUM0348-50 |
| Alternativnummer | BOT-BNUM0348-50-50UL |
| Hersteller | Biotium |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Spezies Reaktivität | Human |
| Immunogen | Membrane preparation from human hepatocytes |
| Produktbeschreibung | In Western blotting, this antibody detects an antigen of 125 kDa in human liver and 135 kDa in tumors of histiocytic origin. Comparative study of this MAb and a standard CD68 MAb showed that their antigens are different. Its antigen in all macrophage... |
| Klonalität | Monoclonal |
| Konzentration | 1 mg/mL |
| Klon-Bezeichnung | [D11] |
| Molekulargewicht | 125 kDa -135 kDa |
| UniProt | Not Known |

| | |
|------------------------|---|
| Puffer | PBS, no BSA, no azide |
| Quelle | Animal |
| Anwendungsbeschreibung | Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry Does not react with mouse, rat or pig, others not tested |