

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Biotin(Hyb8), 1mg/mL, IgG1, Clone: [Hyb8], Mouse, Monoclonal BOT-BNUM0400-50**

|                          |   |
|--------------------------|---|
| Artikelname              | Biotin(Hyb8), 1mg/mL, IgG1, Clone: [Hyb8], Mouse, Monoclonal  |
| Artikelnummer            | BOT-BNUM0400-50   |
| Hersteller Artikelnummer | BNUM0400-50   |
| Alternativnummer         | BOT-BNUM0400-50-50UL  |
| Hersteller               | Biotium   |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | IHC   |
| Spezies Reaktivität      | All   |
| Immunogen                | Biotinylated sheep immunoglobulin   |
| Produktbeschreibung      | This antibody recognizes both the free and protein-conjugated (either soluble or cell bound) form of biotin. This MAb is highly specific to biotin and shows no cross-reaction with other structurally related compounds. It has a very high affinity for ... |
| Klonalität               | Monoclonal  |
| Konzentration            | 1 mg/mL   |
| Klon-Bezeichnung         | [Hyb8]  |
| Molekulargewicht         | 244Da   |
| Isotyp                   | IgG1  |

|                        |  |
|------------------------|--|
| UniProt                | Not Applicable   |
| Puffer                 | PBS, no BSA, no azide  |
| Quelle                 | Animal   |
| Anwendungsbeschreibung | Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL No special pretreatment is required for the immunohistochemical staining of formalin-fixed paraffin-embedded tissues. Immunohistology formalin-fixed 0.5-1 ug/mL Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting |