

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Vimentin(VM452), 1mg/mL, IgG1, Clone: [VM452], Mouse, Monoclonal BOT-BNUM0452-50

Artikelname	Vimentin(VM452), 1mg/mL, IgG1, Clone: [VM452], Mouse, Monoclonal
Artikelnummer	BOT-BNUM0452-50
Hersteller Artikelnummer	BNUM0452-50
Alternativnummer	BOT-BNUM0452-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IHC, WB
Spezies Reaktivität	Bovine, Canine, Feline, Gallus, Goat, Human, Porcine
Immunogen	Recombinant full-length human vimentin protein
Produktbeschreibung	This MAb reacts with a 58 kDa protein identified as vimentin. It shows no cross-reaction with other closely related intermediate filament proteins (IFPs) such as desmin, keratin, neurofilament, and glial fibrillary acid protein. Anti-vimentin alone is...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[VM452]
Molekulargewicht	57-60 kDa

Isotyp	IgG1
UniProt	P08670
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Does not react with mouse or rat Flow cytometry: 0.5-1 ug/million cells Immunohistology (formalin): 0.25-0.5 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Western blotting 0.25-0.5 ug/mL Optimal dilution for a specific application should be determined by user