

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Cyclin D1(CCND1/809), 1mg/mL, Clone: [CCND1/809], Mouse, Monoclonal BOT-BNUM0809-50

Artikelname	Cyclin D1(CCND1/809), 1mg/mL, Clone: [CCND1/809], Mouse, Monoclonal
Artikelnummer	BOT-BNUM0809-50
Hersteller Artikelnummer	BNUM0809-50
Alternativnummer	BOT-BNUM0809-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human CCND1 protein
Produktbeschreibung	Recognizes a protein of 36 kDa, identified as cyclin D1. Cyclin D1, one of the key cell cycle regulators, is a putative proto-oncogene overexpressed in a wide variety of human neoplasms. This antibody neutralizes the activity of cyclin D1 in vivo. Ab...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[CCND1/809]
Molekulargewicht	36 kDa

UniProt	<a href="#">P24385</a>
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user