

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### ZAP70(2F3.2), 1mg/mL, Clone: [2F3.2], Mouse, Monoclonal BOT-BNUM0811-50

Artikelname	ZAP70(2F3.2), 1mg/mL, Clone: [2F3.2], Mouse, Monoclonal
Artikelnummer	BOT-BNUM0811-50
Hersteller Artikelnummer	BNUM0811-50
Alternativnummer	BOT-BNUM0811-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC
Spezies Reaktivität	Human
Immunogen	Recombinant ZAP-70 protein including residues 1-254 and encompassing SH2 domains of human ZAP70
Produktbeschreibung	ZAP70 is a 70 kDa protein tyrosine kinase found in T-cells and natural killer cells. Control of this protein translation is via the IgVH gene. In Western blotting of whole cell lysates of normal peripheral blood mononuclear cells, the antibody labels ...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[2F3.2]
Molekulargewicht	70 kDa

UniProt	<a href="#">P43403</a>
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user