

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

MiTF (Microphthalmia Transcription Factor)(C5/D5), 1mg/mL, Clone: [C5/D5], Mouse, Monoclonal BOT-BNUM0892-50

Artikelname	MiTF (Microphthalmia Transcription Factor)(C5/D5), 1mg/mL, Clone: [C5/D5], Mouse, Monoclonal
Artikelnummer	BOT-BNUM0892-50
Hersteller Artikelnummer	BNUM0892-50
Alternativnummer	BOT-BNUM0892-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	NH2 terminus fragment of human Mi protein
Produktbeschreibung	MITF (microphthalmia transcription factor) is a basic helix-loop-helix-leucine-zipper (bHLH-Zip) transcription factor that regulates the development and survival of melanocytes and retinal pigment epithelium, and also is involved in transcription of ...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[C5/D5]
Molekulargewicht	52-56 kDa (doublet)

UniProt	O75030
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Does not react with mouse or rat, others not tested Immunohistology (formalin) Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user