

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Cytokeratin 5/8(C-50), 1mg/mL, Clone: [C-50], Mouse, Monoclonal BOT-BNUM0948-50

Artikelname	Cytokeratin 5/8(C-50), 1mg/mL, Clone: [C-50], Mouse, Monoclonal
Artikelnummer	BOT-BNUM0948-50
Hersteller Artikelnummer	BNUM0948-50
Alternativnummer	BOT-BNUM0948-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Bovine, Canine, Ferret, Hamster, Human, Mouse, Porcine, Rat, Sheep
Immunogen	Cytoskeletal preparation from HeLa cells
Produktbeschreibung	This antibody reacts with keratin 5 (58 kDa) and keratin 8 (52.5 kDa). Simple epithelia express cytokeratin 8 in combination with 18. On the other hand, basal cells of stratified epithelia express cytokeratin 5 paired with 14. This antibody therefore...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[C-50]
Molekulargewicht	58 kDa (CK5), 52.5 kDa (CK8)
UniProt	<a href="#">P13647</a>

Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology formalin-fixed 0.5-1.0 ug/mL For staining of formalin-fixed tissues, digest sections with trypsin at 1mg/mL PBS, 15 min at RT Flow Cytometry 0.5-1 ug/million cells/0.1 mL Immunofluorescence 0.5-1.0 ug/mL Western blotting 0.5-1.0 ug/mL Does not react with chicken , or Xenopus Optimal dilution for a specific application should be determined by user