

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **HLA-DRB(HLA-DRB/1067), 1mg/mL, Clone: [HLA-DRB/1067], Mouse, Monoclonal BOT-BNUM1067-50**

Artikelname	HLA-DRB(HLA-DRB/1067), 1mg/mL, Clone: [HLA-DRB/1067], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1067-50
Hersteller Artikelnummer	BNUM1067-50
Alternativnummer	BOT-BNUM1067-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC, WB
Spezies Reaktivität	Human, Monkey
Immunogen	Activated human peripheral blood mononuclear cells
Produktbeschreibung	This MAb reacts with the beta-chain of HLA-DRB1 antigen, a member of MHC class II molecules. It does not cross react with HLA-DP and HLA-DQ. Its epitope is different from that of MAb L243. HLA-DR is a heterodimeric cell surface glycoprotein comprised...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[HLA-DRB/1067]
Molekulargewicht	28 kDa (beta chain)

UniProt	<a href="#">P01911</a>
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.25-0.5 ug/mL Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user