

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

HLA-Aw32 & HLA-A25 (MHC I)(CATA-1), 1mg/mL, Clone: [CATA-1], Mouse, Monoclonal BOT-BNUM1073-50

Artikelname	HLA-Aw32 & HLA-A25 (MHC I)(CATA-1), 1mg/mL, Clone: [CATA-1], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1073-50
Hersteller Artikelnummer	BNUM1073-50
Alternativnummer	BOT-BNUM1073-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Normal human peripheral blood lymphocytes of phenotype A1, Aw32, B7, B37, Cw-, Cw-, DR2, DRw10
Produktbeschreibung	This MAb reacts with cells bearing HLA-A25 or HLA-Aw32 antigens. In addition, a reaction was observed with a cell of phenotype A2, Aw31, B17, Bw49. HLA-A, with HLA-B and HLA-C, belongs to major histocompatibility complex (MHC) class I antigens and ex...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[CATA-1]

Molekulargewicht	kDa
UniProt	P01889
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user