

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

ZAP70(ZAP70/528 + 2F3.2), 1mg/mL, Clone: [ZAP70/528 2F3.2], Mouse, Monoclonal BOT-BNUM1137-50

Artikelname	ZAP70(ZAP70/528 + 2F3.2), 1mg/mL, Clone: [ZAP70/528 2F3.2], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1137-50
Hersteller Artikelnummer	BNUM1137-50
Alternativnummer	BOT-BNUM1137-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant full-length human ZAP70 protein (ZAP70/528), Recombinant ZAP-70 protein including residues 1-254 and encompassing SH2 domains of human ZAP70 (2F3.2)
Produktbeschreibung	ZAP70 is a 70 kDa protein tyrosine kinase found in T-cells and natural killer cells. Control of this protein translation is via the IgVH gene. ZAP70 protein is expressed in leukemic cells of approximately 25% of chronic lymphocytic leukemia (CLL) case...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[ZAP70/528 2F3.2]

Molekulargewicht	70 kDa
UniProt	P43403
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user