

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Cytokeratin 19(KRT19/799 + KRT19/800), 1mg/mL, Clone: [KRT19/799 KRT19/800], Mouse, Monoclonal BOT-BNUM1150-50

Artikelname	Cytokeratin 19(KRT19/799 + KRT19/800), 1mg/mL, Clone: [KRT19/799 KRT19/800], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1150-50
Hersteller Artikelnummer	BNUM1150-50
Alternativnummer	BOT-BNUM1150-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human, Mouse
Immunogen	Recombinant full-length human KRT19 protein
Produktbeschreibung	Recognizes a protein of 40 kDa, identified as cytokeratin-19 (CK19), which is expressed in sweat gland, mammary gland ductal and secretory cells, bile ducts, gastrointestinal tract, bladder urothelium, oral epithelia, esophagus, and ectocervical epit...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[KRT19/799 KRT19/800]
Molekulargewicht	40 kDa

UniProt	P08727
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user