

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD63 (Late Endosomes Marker)(NKI/C3 + LAMP3/968), 1mg/mL, Clone: [NKI/C3 LAMP3/968], Mouse, Monoclonal BOT-BNUM1160-50

Artikelname	CD63 (Late Endosomes Marker)(NKI/C3 + LAMP3/968), 1mg/mL, Clone: [NKI/C3 LAMP3/968], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1160-50
Hersteller Artikelnummer	BNUM1160-50
Alternativnummer	BOT-BNUM1160-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Smooth plasma membrane fraction of MeWo cells (NKI/C3), Recombinant human full-length CD63 protein (LAMP3/968)
Produktbeschreibung	This MAb recognizes protein of 26 kDa-60 kDa, which is identified as CD63. The tetraspanins are integral membrane proteins expressed on cell surface and granular membranes of hematopoietic cells and are components of multi-molecular complexes with sp...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[NKI/C3 LAMP3/968]

Molekulargewicht	26 kDa (core protein), 30-60 kDa (glycosylated)
UniProt	P08962
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistochemistry (formalin-fixed): 1-2 ug/mL for 30 minutes at RT Flow cytometry: 0.5-1 ug/million cells Immunofluorescence: 0.5-1 ug/mL Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM citrate buffer pH 6.0 for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user