

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Vimentin(VM1170), 1mg/mL, IgG1, Clone: [VM1170], Mouse, Monoclonal BOT-BNUM1170-50

Artikelname	Vimentin(VM1170), 1mg/mL, IgG1, Clone: [VM1170], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1170-50
Hersteller Artikelnummer	BNUM1170-50
Alternativnummer	BOT-BNUM1170-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC, WB
Spezies Reaktivität	Human
Immunogen	Recombinant full-length human vimentin protein
Produktbeschreibung	This MAb reacts with a 58 kDa protein identified as vimentin. It shows no cross-reaction with other closely related intermediate filament proteins (IFP s) such as desmin, keratin, neurofilament, and glial fibrillary acid protein. Anti-vimentin alone i...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[VM1170]
Molekulargewicht	57-60 kDa

Isotyp	IgG1
UniProt	<a href="#">P08670</a>
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Does not react with mouse or rat, others not known Immunohistology formalin-fixed 0.25-0.5 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.25-0.5 ug/mL Optimal dilution for a specific application should be determined by user