

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD6(C6/372 + 3F7B5), 1mg/mL, Clone: [C6/372 3F7B5], Mouse, Monoclonal BOT-BNUM1228-50

Artikelname	CD6(C6/372 + 3F7B5), 1mg/mL, Clone: [C6/372 3F7B5], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1228-50
Hersteller Artikelnummer	BNUM1228-50
Alternativnummer	BOT-BNUM1228-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IF, IHC
Spezies Reaktivität	Human
Immunogen	Human recombinant CD6 protein (C6/372), Human rheumatoid synovial T cell line ST-1 (3F7B5)
Produktbeschreibung	CD6 is a type I transmembrane glycoprotein that contains a 24-amino acid signal sequence, three extracellular scavenger receptor cysteine-rich (SRCR) domains, a membrane-spanning domain and a 44-amino acid cytoplasmic domain. The CD6 glycoprotein is ...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[C6/372 3F7B5]
Molekulargewicht	90-130 kDa

UniProt	P30203
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user