

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Myogenin(MGN185 + F5D), 1mg/mL, Clone: [MGN185 F5D], Mouse, Monoclonal BOT-BNUM1233-50**

Artikelname	Myogenin(MGN185 + F5D), 1mg/mL, Clone: [MGN185 F5D], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1233-50
Hersteller Artikelnummer	BNUM1233-50
Alternativnummer	BOT-BNUM1233-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Feline, Human, Mouse, Porcine, Rat
Immunogen	Human myogenin recombinant protein (MGN185), Rat myogenin recombinant fragment containing amino acid 30-224 (F5D)
Produktbeschreibung	Myogenin is a member of the MyoD family of myogenic basic helix-loop-helix (bHLH) transcription factors that also includes MyoD, Myf-5, and MRF4 (also known as herculinor Myf-6). MyoD family members are expressed exclusively in skeletal muscle and pl...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[MGN185 F5D]

Molekulargewicht	34 kDa
UniProt	<a href="#">P15173</a>
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin) Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user