

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CD11c (Dendritic Cell Marker)(ITGAX/1242), 1mg/mL, Clone: [ITGAX/1242], Mouse, Monoclonal BOT-BNUM1242-50**

Artikelname	CD11c (Dendritic Cell Marker)(ITGAX/1242), 1mg/mL, Clone: [ITGAX/1242], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1242-50
Hersteller Artikelnummer	BNUM1242-50
Alternativnummer	BOT-BNUM1242-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human ITGAX protein fragment (aa 637-827) (exact sequence is proprietary)
Produktbeschreibung	Recognizes a protein of 145 kDa, identified as CD11c. CD11c (ITGAX), a member of the leukointegrin family, shares the same beta subunit with other members of the leukocyte adhesion molecule family, which includes CD11a (LFA-1), CD11b (MAC-1) and CD11...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[ITGAX/1242]

Molekulargewicht	145 kDa
UniProt	<a href="#">P20702</a>
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistochemistry (formalin-fixed): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user