

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Lewis Y (Tumor Marker) (A70-A/A9), 1mg/mL, Clone: [A70-A/A9], Mouse, Monoclonal BOT-BNUM1412-50

Artikelname	Lewis Y (Tumor Marker) (A70-A/A9), 1mg/mL, Clone: [A70-A/A9], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1412-50
Hersteller Artikelnummer	BNUM1412-50
Alternativnummer	BOT-BNUM1412-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Live Ls174T cells (human colon carcinoma cell line)
Produktbeschreibung	This antibody recognizes a carbohydrate epitope present on tumor-associated Lewis Y antigen (Fucalpha1-2Galbeta1-4/3GlcNAcbeta). Lewis Y is expressed in large bowel tumors and colorectal carcinomas. It may be useful in the classification of human ren...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[A70-A/A9]
Molekulargewicht	Multiple

UniProt	Not Applicable
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin): 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user