

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Factor XIIIa (Coagulation Factor XIIIa Chain) (F13A1/1448), 1mg/mL, Clone: [F13A1/1448], Mouse, Monoclonal BOT-BNUM1448-50

Artikelname	Factor XIIIa (Coagulation Factor XIIIa Chain) (F13A1/1448), 1mg/mL, Clone: [F13A1/1448], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1448-50
Hersteller Artikelnummer	BNUM1448-50
Alternativnummer	BOT-BNUM1448-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC, WB
Spezies Reaktivität	Human
Immunogen	Recombinant fragment of human Factor XIIIa protein (aa46-181) (exact sequence is proprietary)
Produktbeschreibung	This antibody recognizes a protein of 83 kDa, which is identified as Factor XIIIa. It has been identified in platelets, megakaryocytes, and fibroblast-like mesenchymal or histiocytic cells in the placenta, uterus, and prostate, monocytes and macropha...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[F13A1/1448]

Molekulargewicht	83 kDa
UniProt	P00488
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody ELISA: 2-4 ug/mL for coating order Ab without BSA Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin) 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user