

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

p63 (Squamous, Basal & Myoepithelial Cell Marker), 1mg/mL, Rabbit BOT-BNUM1684-50

Artikelname	p63 (Squamous, Basal & Myoepithelial Cell Marker), 1mg/mL, Rabbit
Artikelnummer	BOT-BNUM1684-50
Hersteller Artikelnummer	BNUM1684-50
Alternativnummer	BOT-BNUM1684-50-50UL
Hersteller	Biotium
Wirt	Rabbit
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human p63 protein fragment (exact sequence is proprietary)
Produktbeschreibung	p63 is a homolog of the tumor suppressor p53. It is identified in basal cells in the epithelial layers of a variety of tissues, including epidermis, cervix, urothelium, breast and prostate. p63 was detected in nuclei of the basal epithelium in normal...
Konzentration	1 mg/mL
Molekulargewicht	63 kDa
UniProt	Q9H3D4
Puffer	PBS, no BSA, no azide

Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology (formalin) 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user