

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Desmin (Muscle Cell Marker) (DES/1711), 1mg/mL, Clone: [DES/1711], Mouse, Monoclonal BOT-BNUM1711-50

Artikelname	Desmin (Muscle Cell Marker) (DES/1711), 1mg/mL, Clone: [DES/1711], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1711-50
Hersteller Artikelnummer	BNUM1711-50
Alternativnummer	BOT-BNUM1711-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Gallus, Hamster, Human, Mouse, Rat
Immunogen	Recombinant human full-length desmin protein
Produktbeschreibung	Cytoskeletal intermediate filaments (IFs) constitute a diverse group of proteins that are expressed in a highly tissue-specific manner. IFs are constructed from two-chain alpha-helicalcoiled-coil molecules arranged on an imperfect helical lattice, an...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[DES/1711]
Molekulargewicht	52 kDa

UniProt	P17661
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin) 1-2 ug/mL Immunofluorescence 1-2 ug/mL Flow cytometry 0.5-1 ug/million cells Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user