

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Desmoglein-1 (DSG1) (DSG1/1733), 1mg/mL, Clone: [DSG1/1733], Mouse, Monoclonal BOT-BNUM1733-50

Artikelname	Desmoglein-1 (DSG1) (DSG1/1733), 1mg/mL, Clone: [DSG1/1733], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1733-50
Hersteller Artikelnummer	BNUM1733-50
Alternativnummer	BOT-BNUM1733-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human desmoglein-1 protein fragment corresponding to intracellular domain (exact sequence is proprietary)
Produktbeschreibung	This antibody recognizes a protein of ~150 kDa, identified as Desmoglein-1 (DSG1). Desmoglein-1 is a member of the desmosomal cadherin family. Desmosomes are intercellular adhering junctions that represent cell surface attachment sites for intermedia...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[DSG1/1733]

Molekulargewicht	150 kDa (precursor), 160 kDa (mature)
UniProt	Q02413
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology (formalin): 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris buffer with 1 mM EDTA pH 8.0 for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user