

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Podocalyxin (PODXL) (Hematopoietic Stem Cell Marker) (PODXL/2185), 1mg/mL, IgG1, Clone: [PODXL/2185], Mouse, Monoclonal BOT-BNUM2185-50**

Artikelname	Podocalyxin (PODXL) (Hematopoietic Stem Cell Marker) (PODXL/2185), 1mg/mL, IgG1, Clone: [PODXL/2185], Mouse, Monoclonal
Artikelnummer	BOT-BNUM2185-50
Hersteller Artikelnummer	BNUM2185-50
Alternativnummer	BOT-BNUM2185-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant fragment of human Podocalyxin (around aa 310-447) (exact sequence is proprietary)
Produktbeschreibung	Podocalyxin is a member of the CD34 transmembrane sialomucin family. It is highly expressed on the podocyte foot projections and plays essential roles in kidney development and homeostasis, blood filtration and urine formation. It is also expressed o...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[PODXL/2185]

Molekulargewicht	165-170 kDa
Isotyp	IgG1
UniProt	<a href="#">O00592</a>
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 1-2 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user