

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Cdk1/Cdc2 (phospho-T161) polyclonal antibody, Unconjugated, Rabbit BWT-BS4033**

|                          |  |
|--------------------------|--|
| Artikelname              | Cdk1/Cdc2 (phospho-T161) polyclonal antibody, Unconjugated, Rabbit   |
| Artikelnummer            | BWT-BS4033   |
| Hersteller Artikelnummer | BS4033   |
| Alternativnummer         | BWT-BS4033-50UL,BWT-BS4033-100UL   |
| Hersteller               | Bioworld Technology  |
| Wirt                     | Rabbit   |
| Kategorie                | Antikörper   |
| Applikation              | IHC, WB  |
| Spezies Reaktivität      | Human, Mouse, Rat  |
| Immunogen                | Synthetic phosphopeptide derived from human Cdk1/Cdc2 around the phosphorylation site of Serine 795.   |
| Konjugation              | Unconjugated   |
| Produktbeschreibung      | Cdc2, an evolutionarily conserved serine/threonine-specific protein kinase, is essential in the cell cycle transition from G2 to M phase. Cdc2 is regulated by association with B-type cyclins and by reversible phosphorylation. Cyclin B binding facili... |
| Molekulargewicht         | ~ 34 kDa   |
| UniProt                  | <a href="#">P06493</a>   |

|                        |   |
|------------------------|---|
| Reinheit               | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE). |
| Formulierung           | Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2  |
| Application Verdünnung | WB: 1:500~1:1000 IHC: 1:50~1:200  |
| Anwendungsbeschreibung | p-Cdk1/Cdc2 (T161) polyclonal antibody detects endogenous levels of p-Cdk1/Cdc2 protein only when phosphorylated at Thr161.                                 |